

The background is a vibrant yellow. It is decorated with several abstract geometric shapes in shades of blue, teal, and white. These include circles, semi-circles, and rounded rectangular shapes, some of which are layered or overlapping. The shapes are scattered across the page, with a concentration in the top right and bottom left corners.

Appendix A20.1

Seveso Sites

Contents

Appendix A20.1: Seveso Sites1

Appendix A20.1: Seveso Sites

Table 1: Seveso Sites Assessment

Name	Location	Approximate Distance from the Proposed Scheme	Nearest Hospital	Nearest Fire Station	Consultation Zone Distance*	Scoped In / Out
Upper Tier Seveso Sites						
BOC Gases Ireland Ltd.	PO Box 201, Bluebell Industrial Estate, Dublin 12	3.7km north-west of the Proposed Scheme	St. James's Hospital (approx. 3.5km distance)	Dolphins Barn Fire Station (approx. 1.7km distance)	700m (from perimeter)	Out. Proposed Scheme outside consultation zone distance.
Lower Tier Seveso Sites						
Iarnród Éireann	Iarnród Éireann Maintenance Works, Inchicore, Dublin 8	3.7km west of the Proposed Scheme	St. James's Hospital (approx. 2.8km distance)	Dolphins Barn Fire Station (approx. 0.7km distance)	300m (from bund wall)	Out. Proposed Scheme outside consultation zone distance.
Irish Distillers Ltd.	Robinhood Road, Fox & Geese, Clondalkin, Dublin 22	3.8km north-west of the southern section of the Proposed Scheme	St. James's Hospital (approx. 4.3km distance)	Tallaght Fire Station (approx. 2.3km distance)	300m	Out. Proposed Scheme outside consultation zone distance.
Kayfoam Woolfson	Bluebell Industrial Estate, Naas Road, Dublin 12	4.9km north-west of the Proposed Scheme	St. James's Hospital (approx. 3.9 km distance)	Dolphins Barn Fire Station (approx. 2.0km distance)	1km (from perimeter)	Out. Proposed Scheme outside consultation zone distance.

*Consultation Zone is the area liable to be affected by a major accident at a Seveso site. Therefore, if the Proposed Scheme fell within the specified consultation zone for a Seveso site, the Health and Safety Authority would be required to be consulted. The Proposed Scheme does not fall within and consultation zone for any listed Seveso site in the vicinity.